



<u>Licence Details</u>	
Number:	21022
Anniversary Date:	31-January

# Licensee BORAL RESOURCES (COUNTRY) PTY. LIMITED

PO BOX 6041

**NORTH RYDE NSW 2113** 

# Premises BYROCK QUARRY COBAR-BYROCK ROAD BYROCK NSW 2831

# Scheduled Activity Crushing, grinding or separating Extractive activities

Fee Based Activity	Scale
Crushing, grinding or separating	> 30000-100000 T annual processing capacity
Land-based extractive activity	> 30000-50000 T annual capacity to extract, process or store

Region
Central West
L102, 346 PANORAMA AVENUE
BATHURST NSW 2795
Phone: (02) 6333 3800
Fax: (02) 6333 3809
PO Box 1388
BATHURST NSW 2795



Licence - 21022

NFO	ionary
	·
	ponsibilities of licenseeiation of licence conditions
	ation of licenceation of licence
	ation of licence
	s and annual return to be sent to the EPA
	s and annual return to be sent to the EPA
	lister of licerice
	ADMINISTRATIVE CONDITIONS
A1	What the licence authorises and regulates
A2	Premises or plant to which this licence applies
A3	Information supplied to the EPA
2	DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND
P1	Location of monitoring/discharge points and areas
3	LIMIT CONDITIONS
L1	Pollution of waters
L2	Concentration limits
L3	Waste
L4	Noise limits
L5	Blasting
L6	Hours of operation
L7	Potentially offensive odour
ŀ	OPERATING CONDITIONS
01	Activities must be carried out in a competent manner
02	Maintenance of plant and equipment
О3	Dust
O4	Other operating conditions
;	MONITORING AND RECORDING CONDITIONS
M1	Monitoring records
M2	Requirement to monitor concentration of pollutants discharged
М3	Testing methods - concentration limits
M4	Recording of pollution complaints
M5	Telephone complaints line



Licence - 21022

M6	Blasting	13
6	REPORTING CONDITIONS	14
R1	Annual return documents	14
R2	Notification of environmental harm	15
R3	Written report	15
7	GENERAL CONDITIONS	16
G1	Copy of licence kept at the premises or plant	16
DICT	TIONARY	17
Ger	neral Dictionary	17

Licence - 21022



# Information about this licence

# **Dictionary**

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

# Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

### Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

### **Duration of licence**

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

### Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

### Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).

Licence - 21022



The EPA publication "A Guide to Licensing" contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

### Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

### Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

### This licence is issued to:

BORAL RESOURCES (COUNTRY) PTY. LIMITED
PO BOX 6041
NORTH RYDE NSW 2113

subject to the conditions which follow.

Licence - 21022



# 1 Administrative Conditions

# A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Crushing, grinding or separating	Crushing, grinding or separating	> 30000 - 100000 T annual processing capacity
Extractive activities	Land-based extractive activity	> 30000 - 50000 T annual capacity to extract, process or store

A1.2 Notwithstanding A1.1, the scale of the land-based extractive activity authorised under this licence must not exceed 50000 tonnes per annum, being the amount equivalent to the extraction limit approved by the development consent granted under the *Environmental Planning and Assessment Act 1979* for the premises specified in A2.

# A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
BYROCK QUARRY
COBAR-BYROCK ROAD
BYROCK
NSW 2831
PART LOT 6324 DP 769213
REGISTERED DEED (OLD LAND SYSTEM) - WLL 220 ONLY PART LOT OF LOT 6324 DP769213

### A3 Information supplied to the EPA

A3.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

Licence - 21022



- a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

# 2 Discharges to Air and Water and Applications to Land

# P1 Location of monitoring/discharge points and areas

- P1.1 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.
- P1.2 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

### Water and land

EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
2	Discharge to waters; water quality monitoring	Discharge to waters; water quality monitoring	Sediment dam as indicated on figure "Byrock Quarry - Sediment Dam Location and Water Flows 2018" received by the EPA 4/12/2018 (DOC19/18463)

# 3 Limit Conditions

### L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

### L2 Concentration limits

- L2.1 For each monitoring/discharge point or utilisation area specified in the table\s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.
- L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.

Licence - 21022



- L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table\s.
- L2.4 Water and/or Land Concentration Limits

### **POINT 2**

Pollutant	Units of Measure	50 Percentile concentration limit	90 Percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
Oil and Grease	milligrams per litre				10
рН	рН				6.5- 8.5
TSS	milligrams per litre				50

- L2.5 The limits specified under Condition L2.4 for the sediment pond identified as EPA licence discharge point 2 do not apply when the discharge occurs solely as a result of a rainfall event measured at the premises which exceeds;
  - a total of 44.5 millimetres of rainfall over any consecutive 5 day period.
- Note: A 44.5 mm rainfall depth is defined by the publication Managing Urban Stormwater: Soils and Construction (Landcom 2004) as the rainfall depth in millimetres for a 95th percentile 5 day rainfall event for the Northwestern, Southwestern and Far West Plains (Bourke) consistent with the storage capacity (recommended minimum design criteria) for Type D sediment retention basins for mines and quarries (Vol 2E of Landcom 2004).
- L2.6 The concentration limit for total suspended solids stipulated by condition L2.4 for EPA identification point 2 is deemed not to have been breached where:
  - a) the water discharged is covered by condition L2.5; or
  - b) when not covered by condition L2.5, the water discharged (in accordance with licence conditions O4.1 and O4.2) is within the pH range 6.5-8.5 and has a turbidity of no more than 40 NTU at the time of the discharge; and
  - c) the EPA is advised within 3 working days of the completion of the sample testing and analysis as required by condition M2.2 of any results above the licence limit.

Note: The purpose of condition L2.6 is to expediate the assessment and subsequent discharge of the clarified water from the stormwater control structures (sediment ponds).

Licence - 21022



### L3 Waste

- L3.1 The licensee must not cause, permit or allow any waste generated outside the premises to be received at the premises for storage, treatment, processing, reprocessing or disposal or any waste generated at the premises to be disposed of at the premises, except as expressly permitted by a licence under the Protection of the Environment Operations Act 1999.
- L3.2 This condition only applies to the storage, treatment, processing, reprocessing or disposal of waste at the premises if it requires an Environment Protection Licence under the Protection of the Environment Operations Act 1997.

### L4 Noise limits

- L4.1 The premises must not exceed a noise limit of 40dB(A) for daytime hours only. Daytime hours are defined as 7am to 6pm Monday to Saturday for operational noise.
- L4.2 The noise limits set out in L4.1 apply under all meteorological conditions except for the following:
  - a) Wind speeds greater than 3 metres/second at 10 metres above ground; or
  - b) Stability category F temperature inversion conditions and wind speeds greater then 2 metres/second at 10 metres above ground level; or
  - c) Stability category G temperature inversion conditions.

For the purpose of this condition:

- I) Data recorded by the meteorological station identified as EPA Monitoring Point 1 must be used to determine meteorological conditions; and
- II) Temperature inversion conditions (stability category) are to be determined by the sigma-theta method referred to n Part 4E of Appendix E to the NSW Industrial Noise Policy.
- L4.3 To determine compliance:
  - a) with LAeq (15 minute) and LAmax noise limits under L3.1, the noise measurement equipment must be located:
  - I) approximately on the property boundary, where any dwelling is situated 30 metres or less from the property boundary closest to the premises; or
  - II) within 30 metres of a dwelling façade, but not closer than 3 metres, where any dwelling on the property is situated more than 30 metres from the property boundary closet to the premises; or, where applicable
  - III) within approximately 50 metres of the boundary of a National Park or a Nature Reserve b) with noise limits in the Noise Limits table, the noise measurement equipment must be located:
    - I) at the most affected point at a location where there is no dwelling at the location; or
    - II) at a point other than the most affected point at a location

Note: A non-compliance of the Noise Limits under L4.1 will still occur where noise generated from the premises in excess of the appropriated limit is measured:

- I) at a location other than an area prescribed in part a) and part b); and/or
- II) at a point other than the most affected point at a location.
- L4.4 For the purpose of condition L4.2 data recorded at the Australian Government Bureau of Meteorology weather station at Bourke Airport (station 048245) must be used to determine meteorological conditions.

Licence - 21022



# L5 Blasting

- L5.1 The airblast overpressure level from blasting operations at the premises must not exceed 120dB (Lin Peak) at any time at any noise sensitive locations. Error margins associated with any monitoring equipment used to measure this are not to be taken into account in determining whether or not the limit has been exceeded.
- L5.2 The airblast overpressure level from blasting operations at the premises must not exceed 115dB (Lin Peak) at any noise sensitive locations for more than five per cent of the total number of blasts over each reporting period. Error margins associated with any monitoring equipment used to measure this are not to be taken into account in determining whether or not the limit has been exceeded.
- L5.3 Ground vibration peak particle velocity from the blasting operations at the premises must not exceed 10mm/sec at any time at any noise sensitive locations. Error margins associated with any monitoring equipment used to measure this are not to be taken into account in determining whether or not the limit has been exceeded.
- L5.4 Ground vibration peak particle velocity from the blasting operations at the premises must not exceed 5mm/sec at any noise sensitive locations for more than five per cent of the total number of blasts over each reporting period. Error margins associated with any monitoring equipment used to measure this are not to be taken into account in determining whether or not the limit has been exceeded.
- Note: 1. The airblast overpressure and ground vibration levels in conditions L5.1 to L5.4 do not apply at noise sensitive locations that are owned by the licensee or are subject to a private agreement, relating to airblast overpressure and ground vibration levels, between the licensee and the landowner.
  2. "Noise sensitive locations" includes buildings used as a residence, hospital, school, child care centres, places of worship and nursing homes. A noise sensitive location includes the land within 30m of the building.
- L5.5 Blasting operations on the premises must only take place:
  - (i) between 9am and 4pm Monday to Saturday inclusive; and
  - (ii) at other times as approved by the EPA.
- L5.6 Blasting at the premises is limited to 1 blast each day on which blasting is permitted.

# L6 Hours of operation

- L6.1 Activities at the premises, other than construction work, may only be carried on between 7am to 5pm Monday to Friday.
- L6.2 This condition does not apply to the delivery of material outside the hours of operation permitted by condition L6.1 if that delivery is required by police or other authorities for safety reasons; and/or the operation of personnel or equipment are endangered. In such circumstances, prior to notification is provided to the EPA and affected residents as soon as possible, or within a reasonable period in the case of emergency.
- L6.3 The hours of operation specified in condition L6.1 may be varied with written consent if the EPA is

Licence - 21022



satisfied that the amenity of the residents in the locality will not be affected.

# L7 Potentially offensive odour

L7.1 The licensee must not cause or permit the emission of offensive odour beyond the boundary of the premises.

# 4 Operating Conditions

## O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner.

This includes:

- a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
- b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

# O2 Maintenance of plant and equipment

- O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:
  - a) must be maintained in a proper and efficient condition; and
  - b) must be operated in a proper and efficient manner.

### O3 Dust

- O3.1 The premises must be maintained in a condition which minimises or prevents the emission of dust from the premises.
- O3.2 All operations and activities occurring at the premises must be carried out in a manner that will minimise the emission of dust from the premises.
- O3.3 The plant must be maintained in a condition which minimises or prevents the emission of dust from the plant.

# O4 Other operating conditions

- O4.1 The sediment pond identified as EPA identification number 2 (licence discharge point 2) under condition P1.2 must be drained or pumped out within five (5) days following rainfall in order to maintain the design storage capacity of the basins.
- O4.2 Water discharged to comply with condition O4.1 may only be discharged from sediment pond to waters via licence discharge point 2 where the water complies with the discharge limits specified under condition

Environment Protection Authority - NSW Licence version date: 18-Mar-2019

Licence - 21022



L2.4 for licence discharge point 2.

- O4.3 The licensee must undertake maintenance to desilt all sediment ponds to retain their design storage capacities.
- O4.4 All above ground storage facilities containing flammable and combustible liquids must be bunded in accordance with Australian Standard AS 1940-2004.

# 5 Monitoring and Recording Conditions

# M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
  - a) in a legible form, or in a form that can readily be reduced to a legible form;
  - b) kept for at least 4 years after the monitoring or event to which they relate took place; and
  - c) produced in a legible form to any authorised officer of the EPA who asks to see them.
- M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:
  - a) the date(s) on which the sample was taken;
  - b) the time(s) at which the sample was collected;
  - c) the point at which the sample was taken; and
  - d) the name of the person who collected the sample.

# M2 Requirement to monitor concentration of pollutants discharged

- M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:
- M2.2 Water and/ or Land Monitoring Requirements

# POINT 2

Pollutant	Units of measure	Frequency	Sampling Method
Oil and Grease	milligrams per litre	Weekly during any discharge	Grab sample
рН	рН	Weekly during any discharge	Grab sample
TSS	milligrams per litre	Weekly during any discharge	Grab sample

Licence - 21022



## M3 Testing methods - concentration limits

M3.1 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

## M4 Recording of pollution complaints

- M4.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.
- M4.2 The record must include details of the following:
  - a) the date and time of the complaint;
  - b) the method by which the complaint was made;
  - c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
  - d) the nature of the complaint;
  - e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
  - f) if no action was taken by the licensee, the reasons why no action was taken.
- M4.3 The record of a complaint must be kept for at least 4 years after the complaint was made.
- M4.4 The record must be produced to any authorised officer of the EPA who asks to see them.

### M5 Telephone complaints line

- M5.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.
- M5.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.
- M5.3 The preceding two conditions do not apply until 31 January 2019 the date of the issue of this licence.

# M6 Blasting

M6.1 To determine compliance with conditions L5.1, L5.2, L5.3 and L5.4:

Licence - 21022



- a) Airblast overpressure and ground vibration levels must be measured and electronically recorded for the parameters specified in Column 1 of the table below; and
- b) The licensee must use the units of measure, sampling method, and sample at the frequency specified opposite in the other columns

Parameter	Unti of Measure	Frequency	Sampling Method
Airblast Overpressure	Decibels	All blasts	Australian Standard AS2187.2-2006
Ground Vibration Peak Velocity	Millimetre/second	All Blast	Australian Standard AS2187.2-2006

# 6 Reporting Conditions

### R1 Annual return documents

- R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:
  - 1. a Statement of Compliance,
  - 2. a Monitoring and Complaints Summary,
  - 3. a Statement of Compliance Licence Conditions,
  - 4. a Statement of Compliance Load based Fee,
  - 5. a Statement of Compliance Requirement to Prepare Pollution Incident Response Management Plan,
  - 6. a Statement of Compliance Requirement to Publish Pollution Monitoring Data; and
  - 7. a Statement of Compliance Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee a copy of the form that must be completed and returned to the EPA.

- R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.
- Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.
- R1.3 Where this licence is transferred from the licensee to a new licensee:
  - a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
  - b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

Licence - 21022



- a) in relation to the surrender of a licence the date when notice in writing of approval of the surrender is given; or
- b) in relation to the revocation of the licence the date from which notice revoking the licence operates.
- R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').
- R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.
- R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:
  - a) the licence holder; or
  - b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

### R2 Notification of environmental harm

- R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.
- Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.
- R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred.

### R3 Written report

- R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:
  - a) where this licence applies to premises, an event has occurred at the premises; or
  - b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence,
  - and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.
- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information:
  - a) the cause, time and duration of the event:
  - b) the type, volume and concentration of every pollutant discharged as a result of the event;
  - c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
  - d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after

Licence - 21022



making reasonable effort;

- e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
- f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
- g) any other relevant matters.
- R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

# 7 General Conditions

# G1 Copy of licence kept at the premises or plant

- G1.1 A copy of this licence must be kept at the premises to which the licence applies.
- G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

Environment Protection Authority - NSW Licence version date: 18-Mar-2019

Licence - 21022



# Dictionary

# **General Dictionary**

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
general solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act

1997

(non-putrescible)

Licence - 21022



flow weighted composite sample

Means a sample whose composites are sized in proportion to the flow at each composites time of collection

general solid waste (putrescible)

Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environmen t Operations Act

1997

**grab sample** Means a single sample taken at a point at a single time

hazardous waste Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act

1997

licensee Means the licence holder described at the front of this licence

load calculation protocol

Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009

local authority Has the same meaning as in the Protection of the Environment Operations Act 1997

material harm Has the same meaning as in section 147 Protection of the Environment Operations Act 1997

MBAS Means methylene blue active substances

Minister Means the Minister administering the Protection of the Environment Operations Act 1997

mobile plant Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act

1997

motor vehicle Has the same meaning as in the Protection of the Environment Operations Act 1997

O&G Means oil and grease

percentile [in relation to a concentration limit of a sample]

plant

Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.

Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as

motor vehicles.

pollution of waters [or water pollution]

Has the same meaning as in the Protection of the Environment Operations Act 1997

**premises** Means the premises described in condition A2.1

public authority Has the same meaning as in the Protection of the Environment Operations Act 1997

regional office Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence

reporting period For the purposes of this licence, the reporting period means the period of 12 months after the issue of the

licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary

of the date of issue or last renewal of the licence following the commencement of the Act.

restricted solid waste

Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act

1997

scheduled activity

Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997

special waste Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act

1997

TM Together with a number, means a test method of that number prescribed by the Approved Methods for the

Sampling and Analysis of Air Pollutants in New South Wales.

Licence - 21022



TSP Means total suspended particles

TSS Means total suspended solids

Type 1 substance

Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements.

more of those elements

Type 2 substance Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any

compound containing one or more of those elements

utilisation area Means any area shown as a utilisation area on a map submitted with the application for this licence

waste Has the same meaning as in the Protection of the Environment Operations Act 1997

waste type Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non -

putrescible), special waste or hazardous waste

Ms Sheridan Ledger

**Environment Protection Authority** 

(By Delegation)

Date of this edition: 31-January-2019

### **End Notes**

2 Licence format updated on 18-Mar-2019